

----- POPULATION ESTIMATES -----				----- Long-Term Care -----		----- Local Health Departments -----			
Total 2000 Population 22,780				Community Options and MA Waiver Programs					
Population per square mile 30									
County ranking in state ( 1-72) 52									
Age	Female	Male	Total	Clients	Costs	Staffing - FTE	Number	Per 10,000 Population	
0-14	2,460	2,570	5,020	COP	34	\$134,114	Total staff	5 2.0	
15-19	820	860	1,680	MA Waiver *			Administrative	1 0.4	
20-24	460	520	980	CIP1A	2	\$112,461	Professional staff	4 1.5	
25-29	640	610	1,250	CIP1B	36	\$613,995	Technical/Paraprof.	. .	
30-34	830	810	1,630	CIP2	8	\$74,554	Support staff	. .	
35-39	1,020	1,040	2,060	COP-W	32	\$179,093	Funding	Per capita	
40-44	980	1,010	1,990	CSLA	.	\$0	Total	\$280,175 \$12.30	
45-54	1,570	1,710	3,290	Brain Injury	.	\$0	Local Taxes	\$101,407 \$4.45	
55-64	940	910	1,850	Total COP/Wvrs	84	\$1,114,217	----- Licensed Establishments -----		
65-74	830	740	1,570	\$89,004 of the above waiver costs were paid as local match/overmatch using COP funds. This amount is not included in above COP costs.			Type	Capacity Facilities	
75-84	630	470	1,100	* Waiver costs reported here include federal funding.			Bed & Breakfast	35 12	
85+	260	120	380				Camps	909 12	
Total	11,430	11,350	22,780				Hotels, Motels	571 15	
Age	Female	Male	Total	Clients	costs				
0-17	3,030	3,150	6,170	Eligible and Waiting	17 n/a				
18-44	4,180	4,270	8,440	(Family Care not provided in county)			----- WIC Participants -----		
45-64	2,510	2,620	5,140	Note: Eligible and waiting clients will be phased into the COP and MA Waivers as available.					
65+	1,720	1,330	3,050						
Total	11,430	11,350	22,780						
Poverty Estimates for 1997									
Estimate (C.I.+/-)									
All ages	1,908	444							
	8.5%	( 2%)							
Ages 0-17	792	210							
	12.4%	( 3%)							
----- Employment -----									
Average wage for jobs covered by unemployment compensation \$24,620				Home Health Agencies 1					
Note: based on place of work				Patients 451					
				Patients per 10,000 pop. 198					
Annual Labor Force Estimates Average				Nursing Homes 3			1999		
				Licensed beds 197			Primary Site Number		
				Occupancy rate 79.2%			Breast 19		
				Residents on Dec.31 160			Cervical 2		
				Residents age 65 or older per 1,000 population 50			Colorectal 8		
							Trachea, Bronchus, Lung 12		
							Prostate 16		
							Other sites 30		
							Total 87		

## NATALITY

<b>TOTAL LIVE BIRTHS</b>	263
Crude Live Birth Rate	11.5
General Fertility Rate	55.5
Live births with reported congenital anomalies	0 . %

<b>Delivery Type</b>	<b>Births</b>	<b>Percent</b>
Vaginal after previous cesarean	6	2
Forceps	7	3
Other vaginal	202	77
Primary cesarean	28	11
Repeat cesarean	20	8
Other or unknown	0	0

<b>Birthweight</b>	<b>Births</b>	<b>Percent</b>
<1,500 gm	0	0.0
1,500-2,499 gm	14	5.3
2,500+ gm	249	94.7
Unknown	0	0

<b>Birth Order</b>	<b>Births</b>	<b>Percent</b>
First	104	40
Second	94	36
Third	39	15
Fourth or higher	26	10
Unknown	0	0

<b>First Prenatal Visit</b>	<b>Births</b>	<b>Percent</b>
1st trimester	226	86
2nd trimester	28	11
3rd trimester	5	2
No visits	2	1
Unknown	2	1

<b>Number of Prenatal Care visits</b>	<b>Births</b>	<b>Percent</b>
No visits	2	1
1-4	5	2
5-9	54	21
10-12	133	51
13+	67	25
Unknown	2	1

<b>Marital Status of Mother</b>	<b>Births</b>	<b>Percent</b>
Married	215	82
Not married	48	18
Unknown	0	0

<b>Education of Mother</b>	<b>Births</b>	<b>Percent</b>
Elementary or less	5	2
Some high school	20	8
High school	78	30
Some college	70	27
College graduate	89	34
Unknown	1	<.5

<b>Smoking Status of Mother</b>	<b>Births</b>	<b>Percent</b>
Smoker	46	17
Nonsmoker	216	82
Unknown	1	<.5

<b>Race of Mother</b>	<b>Births Percent</b>		<b>Low Birthweight (under 2,500 gm) Births Percent</b>		<b>Trimester of First Prenatal Visit</b>					
					<b>1st Trimester</b>		<b>2nd Trimester</b>		<b>Other/Unknown</b>	
White	262	100	14	5.3	225	86	28	11	9	3
Black	0	0	.	.	.	.	.	.	.	.
Other	1	<.5	*	.	*	.	*	.	*	.
Unknown	0	0	.	.	.	.	.	.	.	.

<b>Age of Mother</b>	<b>Fertility Births Rate</b>		<b>Low Birthweight (under 2,500 gm) Births Percent</b>		<b>Trimester of First Prenatal Visit</b>					
					<b>1st Trimester</b>		<b>2nd Trimester</b>		<b>Other/Unknown</b>	
<15	1	--	*	.	*	.	*	.	*	.
15-17	5	.	.	.	3	60	1	20	1	20
18-19	13	.	3	23.1	11	85	2	15	.	.
20-24	50	109	2	4.0	36	72	10	20	4	8
25-29	82	128	5	6.1	78	95	4	5	.	.
30-34	84	101	2	2.4	76	90	7	8	1	1
35-39	22	22	1	4.5	17	77	3	14	2	9
40+	6	.	.	.	5	83	1	17	.	.
Unknown	0	--	.	.	.	.	.	.	.	.

**Teenage Births**

19

.

\* Not reported: age or race category has less than 5 births

## ----- MORBIDITY -----

## REPORTED\* CASES OF SELECTED DISEASES

<u>Disease</u>	<u>Number</u>
Campylobacter Enteritis	9
Giardiasis	8
Hepatitis Type A	0
Hepatitis Type B**	0
Hepatitis NANB/C	<5
Legionnaire's	0
Lyme	<5
Measles	***
Meningitis, Aseptic	0
Meningitis, Bacterial	0
Mumps	***
Pertussis	***
Salmonellosis	0
Shigellosis	<5
Tuberculosis	<5

\* 2000 provisional data

\*\* Includes all positive HBsAg test results

\*\*\* Unavailable at time of printing

Sexually Transmitted Disease

Chlamydia Trachomatis	25
Genital Herpes	<5
Gonorrhea	5
Syphilis	0

## ----- IMMUNIZATIONS -----

Children in Grades K-12 by Compliance Level

Compliant	3,799
Non-compliant	19
Percent Compliant	99.5

## ----- MORTALITY -----

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

<b>TOTAL DEATHS</b>	195
Crude Death Rate	856

<u>Age</u>	<u>Deaths</u>	<u>Rate</u>
1-4	.	.
5-14	3	.
15-19	1	.
20-34	1	.
35-54	12	.
55-64	13	.
65-74	40	2,554
75-84	60	5,464
85+	65	17,333

Infant

<u>Mortality</u>	<u>Deaths</u>	<u>Rate</u>
Total Infant	.	.
Neonatal	.	.
Postneonatal	.	.
Unknown	.	.

Race of Mother

White	.	.
Black	.	.
Other	.	.
Unknown	.	.

Birthweight

<1,500 gm	.	.
1,500-2,499 gm	.	.
2,500+ gm	.	.
Unknown	.	.

Perinatal

<u>Mortality</u>	<u>Deaths</u>	<u>Rate</u>
Total Perinatal	1	.
Neonatal	.	.
Fetal	1	.

<u>Selected Underlying Cause</u>	<u>Deaths</u>	<u>Rate</u>
Heart Disease (total)	68	299
Ischemic heart disease	51	224
Cancer (total)	45	198
Trachea/Bronchus/Lung	11	.
Colorectal	11	.
Female Breast	3	.*
Cerebrovascular Disease	22	97
Lower Resp. Disease	8	.
Pneumonia & Influenza	3	.
Accidents	6	.
Motor vehicle	4	.
Diabetes	7	.
Infectious & Parasitic	5	.
Suicide	3	.

\* Rate for female breast cancer based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

Alcohol	3	.
Other Drugs	1	.
Both Mentioned	.	.

## ----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

<u>Type of Motor Vehicle Crash</u>	<u>Persons Injured</u>	<u>Persons Killed</u>
Total Crashes	340	3
Alcohol-Related	57	2
With Citation:		
For OWI	32	1
For Speeding	14	0
Motorcyclist	19	1
Bicyclist	1	0
Pedestrian	5	0

## ----- HOSPITALIZATIONS -----

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
<b>Injury-Related: All</b>					
Total	195	8.6	5.3	\$14,176	\$121
<18	25	4.1	4.8	\$13,111	\$53
18-44	44	5.2	4.8	\$13,667	\$71
45-64	42	8.2	5.6	\$14,228	\$116
65+	84	27.6	5.7	\$14,734	\$407
<b>Injury: Hip Fracture</b>					
Total	26	1.1	5.2	\$12,762	\$15
65+	25	8.2	5.2	\$12,887	\$106
<b>Injury: Poisonings</b>					
Total	12	.	.	.	.
18-44	5	.	.	.	.
<b>Psychiatric</b>					
Total	130	5.7	8.2	\$7,260	\$41
<18	35	5.7	9.5	\$7,877	\$45
18-44	63	7.5	6.1	\$5,163	\$39
45-64	10	.	.	.	.
65+	22	7.2	12.6	\$12,697	\$92
<b>Coronary Heart Disease</b>					
Total	129	5.7	3.9	\$16,806	\$95
45-64	37	7.2	3.5	\$18,413	\$133
65+	84	27.6	4.1	\$16,271	\$450
<b>Malignant Neoplasms (Cancers): All</b>					
Total	92	4.0	5.1	\$13,611	\$55
18-44	14	.	.	.	.
45-64	32	6.2	5.3	\$15,313	\$95
65+	46	15.1	5.2	\$12,504	\$189
<b>Neoplasms: Female Breast (rates for female population)</b>					
Total	11	.	.	.	.
<b>Neoplasms: Colo-rectal</b>					
Total	13	.	.	.	.
65+	8	.	.	.	.
<b>Neoplasms: Lung</b>					
Total	8	.	.	.	.
<b>Diabetes</b>					
Total	34	1.5	4.1	\$8,026	\$12
65+	12	.	.	.	.

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
<b>Alcohol-Related</b>					
Total	51	2.2	3.4	\$4,168	\$9
18-44	39	4.6	3.0	\$3,117	\$14
45-64	12	.	.	.	.
<b>Pneumonia and Influenza</b>					
Total	107	4.7	5.0	\$9,652	\$45
<18	17	.	.	.	.
45-64	14	.	.	.	.
65+	67	22.0	5.6	\$10,518	\$232
<b>Cerebrovascular Disease</b>					
Total	63	2.8	3.5	\$9,043	\$25
45-64	9	.	.	.	.
65+	54	17.8	3.4	\$8,366	\$149
<b>Chronic Obstructive Pulmonary Disease</b>					
Total	46	2.0	3.2	\$6,730	\$14
<18	7	.	.	.	.
18-44	2	.	.	.	.
45-64	8	.	.	.	.
65+	29	9.5	3.5	\$7,589	\$72
<b>Drug-Related</b>					
Total	6	.	.	.	.
18-44	2	.	.	.	.
<b>Total Hospitalizations</b>					
Total	2,411	105.8	3.8	\$8,285	\$877
<18	457	74.1	2.9	\$4,016	\$297
18-44	671	79.5	3.1	\$6,002	\$477
45-64	411	80.0	4.0	\$10,720	\$858
65+	872	286.9	4.8	\$11,131	\$3,194

## ----- PREVENTABLE HOSPITALIZATIONS\* -----

Total	282	12.4	3.8	\$7,050	\$87
<18	32	5.2	2.2	\$3,320	\$17
18-44	35	4.1	3.1	\$6,917	\$29
45-64	47	9.2	3.5	\$7,094	\$65
65+	168	55.3	4.3	\$7,775	\$430

\* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization. The definition of preventable hospitalizations in 2000 is consistent with the 1997 definition. Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between 1996 and 1997.